

PRODUCT DATA SHEET



GT Line Professional Case WATERPROOF GT 44-19 PTS

EAN 8024482015569

Total Protection in Every Environment



The WATERPROOF GT 44-19 PTS professional case is the ideal container for those working in extreme conditions and needing reliable protection for tools and equipment. Made of high-strength polypropylene, this tool case is fully sealed, waterproof, and resistant to shocks, sand, dust, and corrosive agents. Thanks to its pressure relief valve and special sealing gasket, this tool case provides total protection even in highly critical environments, making it perfect for industrial, marine, medical, and military applications.

Features

1. Watertight seal and total protection from external agents.

Thanks to the molded gasket and pressure relief valve, this case is fully waterproof, shielding tools and accessories from water, humidity, dust, and fine particles.

2. Superior durability for extreme environments.

High-thickness polypropylene combined with corrosion-resistant hinge pins ensures durability even in the presence of chemicals, corrosive agents, or extreme weather (from -33°C to +90°C).

3. Rugged, stackable construction.

The design allows for secure stacking, while reinforced steel lock areas increase protection during transport and storage.

4. Advanced, modular internal organization.

Two tool panels with FLEXI POUCHES™ and a base with high-stability dividers provide optimal organization of any tool or technical accessory.

5. Practical and comfortable transport.

The ergonomic rubber-coated handle offers a secure, comfortable grip, while gas-pressurized lid stays ensure safe and effortless opening and closing.

6. Extra storage for documents and small parts.

Includes a document pouch and two mini drawers for organizing small components—always at hand and neatly stored.

7. Instant security and identification.

The built-in name tag holder enables quick identification of the tool case—ideal for mobile professionals or shared workspaces.



Internal measurements*					
	A	B	C	D	E
	445 mm 17.52 in	345 mm 13.58 in	190 mm 7.48 in	47 mm 1.85 in	143 mm 5.63 in

+/-1,5% from nominal measurements

External measurements*	
Length	480 mm 18.90 in
Depth	417 mm 16.42 in
Height	217 mm 8.54 in

Weight	
	4,05 Kg 8.92 lbs

Load capacity	
	30 Kg 66.14 lbs



Color	
	Black



Specifications	
Colour	Black
Handles	1 Ergonomic handle with rubber coating
Valve	Pressurization valve
Stackable	Yes
Tag	1 Name plate
Panels	1 tool panel with FLEXI POUCHES™ pockets on both sides 1 tool panel with FLEXI POUCHES™ pockets on one side
Document holder	1 document pocket
Locks	Lever-release locks. Padlock provision
Base	Base with removable and adjustable dividers
	2 Component boxes
Linkages	Gas pressurised lid supports
Dimensional tolerance	+/-1,5% from nominal measurements
Solutions	Without wheels
Series	GT 44-19




Accessories			
WL01	Small Parts Box WL01	Small parts box with 6 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL02	Small Parts Box WL02	Small parts box with 13 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL03	Small Parts Box WL03	Empty small parts box in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL04	Small Parts Box WL04	Small parts box with 10 compartments in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
WL05	Small Parts Box WL05	Empty small parts box in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
SHOULDERKIT.U	Adjustable shoulder strap	1 Adjustable shoulder strap for GT 44-19 case 4 Mounting pins 2 Metal plates	



Ricambi			
KIN.1358	Upper panel PTS	Upper PTS panel with FLEXI POUCHES™ storage pockets. Click&Go fastening system.	
KIN.1359	Lower panel PTS	Lower PTS panel with FLEXI POUCHES™ storage pockets. Click&Go fastening system.	
KIN.1301	Rotary tongue	1 Hinge flap for caster	
KIN.0850	Seal	Polyurethane gasket	
KIN.1260	Lid Support Arm	1 Gas lid support arm	
KIN.0238	Bottom tray	1 Bottom tray 1 Caster 2 Screws	
KIN.0496	Name plate	Removable name tag plate	



KIN.0572	Bottom case dividers	5 Dividers for the case bottom 8 Fastening elements	
KIN.0446	Lock	1 Lock 2 Mounting pins	 KIN.0446
KIN.0479	Handle	Ergonomic rubber-coated handle 2 mounting pins	