PRODUCT DATA SHEET



GT Line Professional Trolley WATERPROOF GT 53-26 PEL

EAN 8024482180809

Maximum Protection and Capacity in Every Condition









The WATERPROOF GT 53-26 PEL is the ultimate professional case for those working in extreme environments and in need of a fully waterproof, durable, and spacious container. Designed by GT Line to provide maximum protection for your tools, this tool case ensures complete sealing against water, moisture, dust, and sand. Made of tough polypropylene and equipped with a pressure relief valve, it offers full protection even in the most demanding applications—from industrial to military, including marine and medical fields. A tool case built to last, designed to follow you anywhere with reliability and organization.

Features

1. Total protection from water, dust, and external agents.

Thanks to its molded gasket and automatic pressure relief valve, the case is fully watertight, shielding tools even in humid, sandy, or contaminated environments.

2. Ultra-rugged construction for extreme conditions.

Made of high-thickness polypropylene with corrosion-resistant hinge pins and steel-reinforced padlock zones, it withstands impacts, crushing, and corrosive substances. Operates reliably from -33°C to +90°C.

3. Optimal capacity for bulky equipment.

The thermoformed base with adjustable dividers ensures efficient organization of large or irregularly shaped tools.

4. Smart, customizable internal layout.

Equipped with two tool panels with elastic loops and a double-sided elastic panel in the lid, it offers a neat, modular setup for every tool and accessory.

5. Maximum mobility, even during air travel.

Integrated wheels and a telescopic handle make this tool case ideal for professionals on the move, including frequent flyers.

6. Ergonomics and user comfort.

The rubber-coated handle provides a secure and comfortable grip, reducing fatigue during extended transport.

7. Reliable identification and traceability.

The built-in name tag holder and internal document pocket ensure quick ID and organized management of



labels and documents.

8. Stackable and space-saving.


The stackable design simplifies storage in workshops, warehouses, or service vehicles—maximizing space without compromising accessibility.

I	nternal	measur	ements	*	
	A	В	С	D	E
A D E C		405 mm 15.94 in			

+/-1,5% from nominal measurements	+/-1.	5% from	nominal	measurements
-----------------------------------	-------	---------	---------	--------------

External measurements*		
Longth	627 mm	
Length	24.69 in	
Danath	474,5 mm	
Depth	18.68 in	
11-1-1-	292 mm	
Height	11.50 in	

V	/eight
O	9,12 Kg 20.11 lbs















Specifications			
Wheels	2 Ruote autolubrificanti		
Colour	Black		
Handles	1 Ergonomic handle with rubber coating 1 Telescopic handle		
Linkages	Gas pressurised lid supports		
Panels	1 tool panel with elastic bands on two sides 2 tool panels with elastic bands on one side		
Document holder	1 document pocket		
Locks	Lever-release locks. Padlock provision and steel reinforcements at the fastening points		
Tag	1 Name plate		
Base	Base with removable and adjustable dividers		
Hinges	Corrosion proof metal hinges with lid stay features		
Stackable	Yes		
Valve	Pressurization valve		
Dimensional tolerance	+/-1,5% from nominal measurements		
Solutions	With wheels		
Series	GT 53-26		



Accessories			
WL01	Small Parts Box WL01	Small parts box with 6 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	AL SE M
WL02	Small Parts Box WL02	Small parts box with 13 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL03	Small Parts Box WL03	Empty small parts box in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL04	Small Parts Box WL04	Small parts box with 10 compartments in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	EN WHITE
WL05	Small Parts Box WL05	Empty small parts box in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	The state of the s
EXPL.PADLOCK	EXPL PADLOCK - Lock with keys	Patented lock with keys (Art. EXPL PADLOCK)	
EXPL TSA.DIGILOCK	EXPL TSA.DIGILOCK - TSA approved padlock	TSA-approved lock with 4-digit combination (Art. EXPL TSA.DIGILOCK)	



Ricambi				
KIN.1237	Arm	1 Gas strut (80N resistance)	•	
KIN.1279	Dividers	Divider kit for case bottom: 2 vertical dividers 2 horizontal dividers		
KIN.1302	Document holder (gas spring version)	Document holder panel (gas spring version)	12 To	
KIN.1272	PEL bottom panel	Lower PEL panel with elastic bands on one side	THE RESIDENCE OF THE PARTY OF T	
KIN.1273	PEL middle panel	Intermediate PEL panel with elastic bands on one side	27 27 27 27 27 27 27 27 27 27 27 27 27 2	
KIN.1274	PEL top panel	Upper PEL panel with elastic bands on both sides	THE STATE OF THE S	
KIN.0925	O-ring	Polyurethane gasket for top cover		



KIN.0526	Feet kit	2 Black support feet 2 Mounting pins 2 Metal washers 2 Retaining rings (Seeger)	○○ ∪ ∪ ∫∫
KIN.0412	Black side handle (short, old version)	1 Handle 2 Pins	
KIN.0542	Handle	Ergonomic rubber-coated handle	THI THIS
KIN.0522	Wheel kit	2 Self-lubricating wheels 4 Metal washers 2 Retaining rings (Seeger) 2 Mounting pins	⊗ ⊗ ?
KIN.0930	Telescopic handle	1 Black retractable handle 1 Black protective cover 2 Self-lubricating wheels 1 Metal spring 1 Locking/unlocking lever 1 Closure cap 4 Mounting pins 2 Wheel support feet 4 Base support feet 4 Retaining rings (Seeger) 12 Mounting screws	
KIN.0496	Name plate	Removable name tag plate	
KIN.0495	Pressurization valve	1 Manual pressure valve with screw and O-ring	5 KIN.0495



KIN.0446	Lock	1 Lock 2 Mounting pins	KIN.0446